ICAP
INTERNATIONAL CONSENSUS ON ANA PATTERNS

www.anapatterns.org

HEp-2 cell patterns

Negative
AC-0

Nuclear
AC-1 to AC-14, AC-29

- AC-1 Homogeneous
- Speckled AC-2,4,5
  - AC-2 Dense fine speckled
  - AC-4 Fine speckled
  - AC-5 Large/coarse speckled
  - AC-29 TOPO I
- AC-3 Centromere
- Discrete nuclear dots AC-6, 7
  - AC-6 Multiple
  - AC-7 Few
- Nucleolar AC-8,9,10
  - AC-8 Homogeneous
  - AC-9 Clumpy
  - AC-10 Punctate
- Nuclear envelope AC-11,12
  - AC-11 Smooth
  - AC-12 Punctate
- Pleomorphic AC-13,14
  - AC-13 PCNA
  - AC-14 CENP-F

Cytoplasmic
AC-15 to AC-23

- Fibrillar AC-15,16,17
  - AC-15 Linear
  - AC-16 Filamentous
  - AC-17 Segmental
- Speckled AC-18,19,20
  - AC-18 Discrete dots
  - AC-19 Dense fine speckled
  - AC-20 Fine speckled
- AC-21 AMA
- AC-22 Golgi
- AC-23 Rods and rings

Shown only in selected slides

Mitotic
AC-24 to AC-28

- AC-24 Centrosome
- AC-25 Spindle fibers
  - AC-26 NuMA
- AC-27 Intercellular bridge
- AC-28 Mitotic chromosomal

Competent-Level
Expert-level report
Metaphase plate is stained

Copyright @ ICAP - 2018